

39 -19 -9 < 2
 AGE
 60 DOUBLE PUNCH

MALE SEX (F)

DIED DURING OR AFTER ANÆS.

POST-OP. COMPS. 31
 NONE ✓
 OPERATIVE OR OTHER ✓
 ANÆSTHETIC RESPONSIBLE ✓
 MALAISE VOMITING ✓

OTHER
 MECHANICAL RESPIRATOR
 MANUAL ASS. OR C.R.
 T. PIECE

INHALATIONAL TECHNIQUES
 SEMI-CLOSED ✓
 ABSORPTION ✓
 ENDOTRACHEAL ✓
 ENDOBRONCIAL ANES. OR BLOCKER ✓

INHALATIONAL AGENTS
 NONE
 OTHER
 ETHER
 C.H.₃
 T.C.E.
 HALOTHANE ✓
 N₂

INTRAVENOUS DRUGS
 NON-DEPOLARIZER ✓
 DEPOLARIZER ✓
 NONE
 OTHER ✓
 HYPOTENSIVE
 PETHIDINE OR OPIATE
 BARBITURATE ✓

RECORD OF SPECIAL INTEREST
 S T U

EMERGENCY

GOOD >

FAIR

POOR

CIRCULATORY DECOMPENSATION

SEVERE RESP. DISTURBANCE

VOMITING OR FULL STOMACH

OTHER ANÆS. HANDICAP

ATROPINE OR SCOPOLAMINE

PENIDINE OR DERIVATIVE
 None

PHENOTHIAZINE DERIVATIVE

BARBITURATE

OTHER

DATE 17.5.72 No. 85

ANAESTHETIC RECORD

ANAESTHETIST T&B

NAME Juma Achro. AGE 30

SURGEON Johnston / Cetti

HOSP. & WARD Sabahan - Civil. WT. 60kg

OPERATION PERFORMED Removal of epulis

B.P. 160/110 T.P.R.

Hb.

PREOPERATIVE FINDINGS :-
lucy lucy pulse.

POSTOPERATIVE PROGRESS :-
uneventful.

PREMEDICATION :-

FINAL RESULT :-

2 1 1/2 3 HRS. ANÆS.
 SPINE & BACK
 INTRA-CRANIAL
 MOUTH, NOSE & THROAT
 THYROID
 OTHER HEAD & NECK
 HEART & GT. VESSELS
 PULMONARY
 OTHER INTRA-THORACIC
 CHEST-WALL
 LUMBAR
 UPPER ABDOMINAL
 LOWER ABDOMINAL
 INGUINAL
 PERINEAL
 EXTREMITIES

SITE OF OPERATION

NO. OP. : DIAG. :
 EXP. : THERAP. :


DISTURBANCES DURING ANÆS. & THERAPY
 CARD. ARREST
 CONVULSION
 EXPLOSION
 OTHER CIRCULATORY
 UNCOMPENSATED RESPIRATORY
 UNPROTECTED VOMITING
 A
 NONE
 BLOOD TRANSFUSION
 OTHER I.V. FLUID
 EXTRA-CORP. CIRCULATION
 HYPOTHERMIA
 OTHER

REGIONAL ANALGESIA
 SPINAL
 EPIDURAL
 OTHER
 NONE

PARAMOUNT RESS. TRADE MARK 624/C.C. 8177 B. PRINTED IN ENGLAND.

INDIVIDUAL PRIVATE CODE
 P P R
 O O
 N N
 M M
 L L
 K K
 J J
 H H
 G G
 F F
 E E
 D D

TIME	0450	1000	10	20	30	40
VOL. %						
BARB.						
1.	50	0.6	250			
2.						
3.						
4.						
5.						



TIME OF NOTES

PATIENT'S NAME & No.
ACHRO

ANAESTHETIST
FaB

PREMED. & EFFECT — ✓+
None

DRUGS & DOSAGE

BARBITURATE	%
1. Tuco	2.5 250
2. Altrax	0.6
3. Brev	50
4.	
5.	

TEETH ✓ CHEST MOV. ✓
PRE-OP. VEINS: **GOOD** POOR INVISIBLE

SITE OF BARB. INJ. **R.L.** ARM WRIST **HAND**
ANKLE FOOT

SITE OF I.V. FLUIDS **R.L.** ARM WRIST HAND
12 ANKLE FOOT

ARMBOARD CANULA POLYTHENE CUT-DOWN

PHAR. **OR** / NASO **TRACHEAL** **CUFF** **ACK**

BLIND R.L. ENDOBRONCH. / BLOCKER TRACHY.

ART. VENTILATION: INDUCTION / MAINTENANCE

POSTURE TILT EFFECT TIME

cost. 80rs pack.

Irreg irreg pulse

POSTOPERATIVE STATE: SATISFACTORY WEAK AWAKE RESTLESS PH. REFLEX.

C.V.S. DEPRESSION RESPI. DEPRESSION/DISTRESS/OBSTRUCTION VOMIT

