

AGE 40  
DOUBLE PUNCH

MALE SEX **F.**  
DIED DURING OR AFTER ANAES.  
POST-OP. COMPS. **33**

OPERATIVE OR OTHER  
ANESTHETIC RESPONSIBLE  
MALAISE -VOMITING  
OTHER  
MECHANICAL RESPIRATOR  
MANUAL ASS. OR C.R.  
T. PIECE  
SUCKER  
ABSORPTION  
ENDOTRACHEAL  
ENDOBRONCHIAL ANAES. OR BLOCKER  
NONE  
OTHER  
ETHER  
C<sub>2</sub>H<sub>6</sub>  
T.C.E.  
HALOTHANE  
N<sub>2</sub>O

INHALATIONAL TECHNIQUES  
INHALATIONAL AGENTS  
NON-DEPOLARIZER  
DEPOLARIZER  
NONE  
OTHER  
HYPOTENSIVE  
PETHIDINE OR OPIATE  
BARBITURATE

RECORD OF SPECIAL INTEREST  
S  
T  
U  
R  
O  
N  
M  
L  
K  
J  
H  
G  
F  
E  
D

EMERGENCY  
GOOD  
FAIR  
POOR  
CIRCULATORY DECOMPENSATION  
SEVERE RESP. DISTURBANCE  
VOMITING OR FULL STOMACH  
OTHER ANAES. HANDICAP

PRE-OP. COMPLICATIONS & CONDITION  
DATE **20.5.72** No. **87**  
NAME **bmt** AGE **35**  
HOSP. & WARD **Salutah Civil.** WT. **60kg**  
B.P. **160/-** T.P.R. **-80-** Hb.  
**ANAESTHETIC RECORD**  
PREOPERATIVE FINDINGS :-  
**Non functioning (L) kidney with fistulae to lumbar region.**

ANAESTHETIST **TaeB**  
SURGEON **Johnston / left**  
OPERATION PERFORMED **Exploration of left tuberculous kidney**  
POSTOPERATIVE PROGRESS :-  
**Slow but good post-op progress  
Some ooze from wound.  
Strangled out on 5.6.72**

ATROPINE OR SCOPOLAMINE  
PETHIDINE OR OPIATE  
PHENAZINE DERIVATIVE  
BARBITURATE  
OTHER

PREMEDICATION  
**None**  
PREMEDICATION :-

FINAL RESULT :-

2 1 1/2 HRS. ANAES.  
SPINE & BACK  
INTRA-CRANIAL  
MOUTH, NOSE & THROAT  
THYROID  
OTHER HEAD & NECK  
HEART & GT. VESSELS  
PULMONARY  
OTHER INTRA-THORACIC  
CHEST-WALL  
LUMBAR  
UPPER ABDOMINAL  
LOWER ABDOMINAL  
INGUINAL  
PERINEAL  
EXTREMITIES  
NO OP. : DIAG. :  
EXP. THERAPY :

SITE OF OPERATION  
DISTURBANCES DURING ANAES. & THERAPY  
CIRCUITRY  
UNCOMPENSATED RESPIRATORY  
UNPROTECTED VOMITING  
OTHER  
NONE  
BLACK TRANSFUSION  
OTHER I.V. FLUID  
EXTRA-CORP. CIRCULATION  
HYPOTHERMIA  
OTHER

REGIONAL ANALGESIA  
SPINAL  
EPIDURAL  
OTHER  
NONE  
A B C

PARAMOUNT MED. TRADE MARK 82/C.C. 8177 B. PRINTED IN ENGLAND.

TIME: 0940 50 1000 10 20 30 40 50 1100 10 20 40 1200 20 40 1300

VOL. O<sub>2</sub> %

CHART EACH DOSE AS GIVEN

BARB.	1.	2.	3.	4.	5.
	20	0-6	250		
				5	
					5
					25
					25
					25
					5-0
					1-2



TIME OF NOTES

PATIENT'S NAME & NO.  
— bmt —

ANAESTHETIST  
FaB

PREMED. & EFFECT — √+  
None.

DRUGS & DOSAGE

BARBITURATE	%
1. Tmd	2.5 250
2. Atrop	at 1-2
3. Allaf.	37.5
4. Neo	5.0
5.	

TEETH ✓  
PRE-OP. VEINS: GOOD POOR INVISIBLE

SITE OF BARB. INJ. R.L. ARM WRIST HAND ANKLE FOOT

SITE OF I.V. FLUIDS R.L. ARM WRIST HAND ANKLE FOOT

ARMBOARD CANULA POLYTHENE CUT-DOWN

PHAR. (RO) NASO (R) CHEAL (UF) PACK BLIND R.L. ENDOBRONCH. / BLOCKER TRACHY. ART. VENTILATION: INDUCTION / MAINTENANCE

POSTURE TILT EFFECT TIME

COIT. 8.0 x 5.

Side (R)

Hartmanns 3 litres

Blood 1 liter (C)

POSTOPERATIVE STATE: SATISFACTORY WEAK AWAK RESTLESS PH. REFLEX.

C.V.S. DEPRESSION RESP. DEPRESSION/DISTRESS/OBSTRUCTION VOMIT



©FWJdeB

