

19 19 9
 -39 AGE
 40 DOUBLE PUNCH

MALE SEX F.
 DIED DURING OR AFTER ANAES. NONE
 OPERATE OR OPERATE ANAESTHETIC RESPONSIBLE MALAISE VOMITING OTHER MECHANICAL RESPIRATOR MANUAL ASS. OR C.R. T. PIECE S. OPEN ABSORPTION ENDOCRINE ENDOBONCHIAL ANAES. OR BLOCER NONE OTHER ETHER C₃H₆ T.C.E. HALOTHANE N₂ NON-DEPOLARIZER DEPOLARIZER NONE OTHER HYPOTENSIVE PETHIDINE OR OPiate BARBITURATE RECORD OF SPECIAL INTEREST

POST-OP. COMPS. 48 INHALATIONAL TECHNIQUES INHALATIONAL AGENTS INTRAVENOUS DRUGS

DATE 25.5.72 No. 102 **ANAESTHETIC RECORD** ANAESTHETIST Teb

NAME Buknut Ahmed. AGE ?22 SURGEON Johnston / Cetti
 HOSP. & WARD FSI Hut WT. 60kg OPERATION PERFORMED Craniotomy & exploration
 B.P. 110/- T.P.R. — 68 — Hb. @ temporal region

PREOPERATIVE FINDINGS :- POSTOPERATIVE PROGRESS :-

Gsw R temporal region 1700
 Mucous haze +
 2 litres H/mans pre-op
 Vomiting.
 Paralyzed on @ side.
 Remains paralyzed down @ side.
 Spinal reflexes only
 Fully conscious
 7.6.72 moving only @ side. Speaking
 incontinent of faeces and urine.

PREMEDICATION :- FINAL RESULT :-

SITE OF OPERATION

DISTURBANCES DURING ANAES. & THERAPY

REGIONAL ANALGESIA

3 HRS. ANAES. 1 1/2
 SPINE & BACK
 INTERCRANIAL
 MOUTH, NOSE & THROAT
 THYROID
 OTHER HEAD & NECK
 HEART & GT. VESSELS
 PULMONARY
 OTHER INTRA-THORACIC
 CHEST-WALL
 LUMBAR
 UPPER ABDOMINAL
 LOWER ABDOMINAL
 INGUINAL
 PERINEAL
 EXTREMITIES
 NO. OP. : DIAG. : EXP. : THERAP. :
 CARD. ARREST
 CONVULSION
 EXPLOSION
 OTHER
 CIRCULATORY
 UNCOMPENSATED RESPIRATORY
 UNPROTECTED VOMITING
 OTHER
 NONE
 BLOCK TRANSFER
 OTHER I.V.
 EXTRA-CORP. CIRCULATION
 HYPOTHERMIA
 OTHER
 SPINAL
 EPIDURAL
 OTHER
 NONE

PARAMOUNT REGISTR. TRADE MARK G.C./C. 8177 B. PRINTED IN ENGLAND.

INDIVIDUAL PRIVATE CODE

A B C D E F G H J K L M N O P Q R

TIME	1140	50	2000	10	20	30	40	50	2100	10	20	30	40	50	2200
VOL. O ₂ %				⊙		⊙			⊙						
BARB.															
1.	50	0.5	200						0.6						
2.															
3.				10											
4.															
5.															


PATIENT'S NAME & NO.
Bakht Ahmed

ANAESTHETIST
FagB

PREMED. & EFFECT - V+
None.

DRUGS & DOSAGE	
BARBITURATE	%
1. Thio	25 200
2. Atrop	0.6
3. Brew	50
4. Petm	
5.	


TEETH ✓
PRE-OP. VEINS: GOOD POOR INVISIBLE
SITE OF BARB. INJ. RL ARM WRIST HAND
SITE OF I.V. FLUIDS RL ARM WRIST HAND
ARMBOARD CANULA POLYTHENE CUT-DOWN
PHAR. NO NASOPHARYNX CUP PACK
BLIND R. NO ENDOBRONCH. / BLOCKER TRACHY.
ART. VENTILATION: INDUCTION / MAINTENANCE
POSTURE TILT EFFECT TIME



COTT. 90 XS Spout.
3units blood given.

28
Halo

POSTOPERATIVE STATE: SATISFACTORY WEAK AWAKE RESTLESS PH. REFLEX.
C.V.S. DEPRESSION RESP. DEPRESSION/DISTRESS/OBSTRUCTION VOMIT





©FWJdeB