

—29 —19 —9
—39 AGE
40 DOUBLE PUNCH

< M

DIED DURING OR AFTER ANAES.
 NONE
 OPERATIVE OR OTHER
 ANAESTHETIC RESPONSIBLE
 MALAISE VOMITING
 OTHER
 MECHANICAL RESPIRATOR
 MANUAL ASS. OR C.R.
 T. PIECE
 SEMI-OPIUM
 ABSORPTION
 EMPYREMIC
 ENDOBONCHIAL ANES. OR BLOCSES

POST-OP. COMPS. 73
 INHALATIONAL TECHNIQUES
 NONE
 OTHER
 ETHER
 C₂H₆
 T.C.E.
 HAUSCHANE
 N₂O

NON-DEPOLARIZER
 DEPOLARIZER
 NONE
 OTHER
 HYPOTENSIVE
 PETHIDINE OR OPIATE
 BARBITURATE

RECORD OF SPECIAL INTEREST
 T
 U
 S
 R
 P
 O
 N
 M
 L
 K
 J
 H
 G
 F
 E
 D
 C
 B
 A

MALE SEX

F.

EMERGENCY

GOOD

FAIR

POOR

CIRCULATORY DECOMPENSATION

SEVERE RESP. DISTURBANCE

VOMITING OR FULL STOMACH

OTHER ANAES. HANDICAP

ATROPINE OR SCOPOLAMINE

PETHIDINE OR PETHIDINE DERIVATIVE

PHENOTHIAZINE DERIVATIVE

BARBITURATE

OTHER

PRE-OP. COMPLICATIONS & CONDITION
 PREMEDICATION

DATE 6.5.72 No. 127
 NAME Sulim bin Ali AGE 30
 HOSP. & WARD FST Hut. WT. 60kg
 B.P. T.P.R. Hb.

ANAESTHETIC RECORD

ANAESTHETIST

SURGEON Johnston / GHT
 OPERATION PERFORMED

Papicov Hs

PREOPERATIVE FINDINGS :-
 GSW @ upper arm.

PREMEDICATION :-

POSTOPERATIVE PROGRESS :-

FINAL RESULT :-

3 HRS. ANAES.
 SPINE & BACK
 INTRA-CRANIAL

SITE OF OPERATION
 MOUTH, NOSE & THROAT
 THYROID
 OTHER HEAD & NECK
 HEART & GT. VESSELS
 PULMONARY
 OTHER INTRA-THORACIC
 CHEST-WALL
 LUMBAR
 UPPER ABDOMINAL
 LOWER ABDOMINAL
 INGUINAL
 PERINEAL
 EXTREMES

NO OP. : DIAG. :
 EXP. THERAP. :
 CARD. ARREST
 CONVULSION
 EXPLOSION
 OTHER
 OTHER CIRCULATORY
 UNCOMPENSATED RESPIRATORY
 UNPROTECTED VOMITING
 OTHER

DISTURBANCES DURING ANAES. & THERAPY
 NONE
 BLOOD TRANSFUSION
 OTHER I.V. FLUID
 EXTRA-CORP. CIRCULATION
 HYPOTHERMIA
 OTHER

REGIONAL ANALGESIA
 SPINAL
 EPIDURAL
 OTHER
 NONE

PARAMOUNT REGD. TRADE MARK 82/C.-8177 B4 PRINTED IN ENGLAND.

TIME
VOL. %
O₂
BARB.
1.
2.
3.
4.
5.
180
160
140
120
100
80
60
40
20
0
TIME OF NOTES

CHART EACH DOSE AS GIVEN
CODE: ANAES. X, . . . X; OP. O., . . . O.; B.P. V; PULSE . . .; RESP. O.;

PATIENT'S NAME & NO.
Sahim bin Ali

ANAESTHETIST
Papworth

PREMED. & EFFECT — ✓+
None.

DRUGS & DOSAGE	
BARBITURATE	%
1. Tmo	2.5 300
2. Brev	50
3.	
4.	
5.	

TEETH	CHEST MOVT.			
	PRE-OP. VEINS:	GOOD	POOR	INVISIBLE
SITE OF BARB. INJ.	R.L.	ARM	WRIST	HAND
			ANKLE	FOOT
SITE OF I.V. FLUIDS	R.L.	ARM	WRIST	HAND
			ANKLE	FOOT
ARMBOARD	CANULA	POLYTHENE	CUT-DOWN	
PHAR. ORO / NASOTRACHEAL	CUFF	PACK		
BLIND R.L. ENDOBRONCH. / BLOCKER	TRACHY.			
ART. VENTILATION: INDUCTION / MAINTENANCE				
POSTURE	TYLT	EFFECT	TIME	

No details available.

O₂ air halo
COTT 9.0

POSTOPERATIVE STATE: SATISFACTORY WEAK AWAKE RESTLESS PH. REFLEX.
C.V.S. DEPRESSION RESP. DEPRESSION/DISTRESS/OBSTRUCTION VOMIT



©FWJdeB

SALIM

©FWJdeB