

39 -19 -9 < 2
 (-39) AGE
 40 DOUBLE PUNCH

DIED DURING OR AFTER ANÆS.
 NONE
 OPERATIVE OR OTHER
 ANÆSTHETIC RESPONSIBLE
 MALAISE VOMITING
 OTHER

MECHANICAL RESPIRATOR
 MANUAL ASS. OR C.R.
 T. PIECE
 SMIL-OPEN
 ABSORPTION
 ENDOBRONCHIAL ANÆS. OR BLOCKER

NONE
 OTHER
 ETHER
 C₂H₆
 T.C.E.
 HALOTHANE
 N₂O

NON-DEPOLARIZER
 DEPOLARIZER
 NONE
 OTHER
 HYPOTENSIVE
 PETHIDINE OR OPIATE
 BARBITURATE

RECORD OF SPECIAL INTEREST
 T U

MALE SEX

F. POST-OP. COMPS. 2S

INHALATIONAL TECHNIQUES

INHALATIONAL AGENTS

INTRAVENOUS DRUGS

RECORD OF SPECIAL INTEREST
 T U

EMERGENCY

DATE 9.6.72 No. 154 **ANAESTHETIC RECORD** ANAESTHETIST FaB

GOOD

NAME FIH/Lt FERRIER. Robert. AGE 30.

SURGEON Johnston / Catti

FAIR

HOSP. & WARD FST - Int. WT. 70kg

OPERATION PERFORMED Debridement & POP to Oley.

POOR

B.P. 162/ - T.P.R. — 88 — Hb. —

CIRCULATORY DECOMPENSATION

PREOPERATIVE FINDINGS :-

POSTOPERATIVE PROGRESS :-

SEVERE RESP. DISTURBANCE

fibria & gas #
 Puncture wound in thigh & fragment on bone.

Casesac → HK 10.6.72

VOMITING OR FLUIDS IN MOUTH

OTHER ANÆS. HANDICAP

ATROPINE OR SCOPOLAMINE

PETHIDINE OR OPIATE

PHENYLETHYLAMINE DERIVATIVE

BARBITURATE

OTHER

PREMEDICATION :-

FINAL RESULT :-

SITE OF OPERATION

3 HRS. ANÆS.

SPINE & BACK
 INTRA-CRANIAL
 MOUTH, NOSE & THROAT
 THYROID
 OTHER HEAD & NECK
 HEART & GT. VESSELS
 PULMONARY
 OTHER INTRA-THORACIC
 CHEST-WALL
 LUMBAR
 UPPER ABDOMINAL
 LOWER ABDOMINAL
 INGUINAL
 PERINEAL
 EXTREMITIES

DISTURBANCES DURING ANÆS. & THERAPY

NO. OP. : DIAGNOSIS :
 EXP. : THERAPY :

CARD. ARREST
 CONVULSION
 EXPLOSION
 OTHER CIRCULATORY
 UNCOMPENSATED RESPIRATORY
 UNPROTECTED VOMITING
 OTHER
 NONE
 BLOOD TRANSFUSION
 OTHER I.V. FLUID
 EXTRA-CORP. CIRCULATION
 HYPOTHERMIA
 OTHER

REGIONAL ANALGESIA

SPINAL
 EPIDURAL
 OTHER

HARLINGTON RECD. TRADE MARK 82/C.G.-8177 B. PRINTED IN ENGLAND.

INDIVIDUAL PRIVATE CODE

A B C D E F G H J K L M N O P R

TIME	0310	20	30	40	50	0400
VOL. O ₂ %						
BARB.						
1.	SD 0.6750					
2.						
3.	SD					
4.	30					
5.						

PATIENT'S NAME & No.
FERRIER

ANESTHESIST
FaeB


PREMED. & EFFECT - ✓+
None.

DRUGS & DOSAGE		
BARBITURATE	%	
1. Thio	2.5	250
2. Atrop		06
3. Brev		67
4. Peth		
5.		

TEETH	CHEST MOV. ✓		
PRE-OP. VEINS:	GOOD	POOR	INVISIBLE
SITE OF BARB. INJ.	RL	ARM	WRIST HAND ANKLE FOOT
SITE OF I.V. FLUIDS	RL	ARM	WRIST HAND ANKLE FOOT
ARMBOARD	Ventilation.		
PHAR. ORO. NASO. RACHEAL. CUFF. PACK	BLIND R.L. ENDOBRONCH./BLOCKED TRACHY.		
ART. VENTILATION: INDUCTION/MAINTENANCE			
POSTURE	TILT	EFFECT	TIME

COTT 90

0



POSTOPERATIVE STATE: SATISFACTORY WEAK AWAKE RESYLESS PH. REFLEX.

C.V.S. DEPRESSION RESP. DEPRESSION/DISTRESS/OBSTRUCTION VOMIT

TIME OF NOTES

