

—29 —19 —9 <2
 40 AGE
 DOUBLE PUNCH

MALE SEX F.

EMERGENCY

GOOD

FAIR

POOR

CIRCULATORY DECOMPENSATION

SEVERE RESP. DISTURBANCE

VOMITING OR FULL STOMACH

OTHER ANÆS. HANDICAP

ATROPINE OR SCOPOLAMINE

PETHIDINE OR OTHER

PHENOTHIAZINE DERIVATIVE

BARBITURATE

OTHER

DIED DURING OR AFTER ANÆS.
 NONE
 OPERATIVE OR OTHER
 ANÆSTHETIC RESPONSIBLE
 MALAISE VOMITING
 POST-OP. COMPS. 30

OTHER
 MECHANICAL RESPIRATOR
 MANUAL ASS. OR C.R.
 T. PIECE
 SEMIOPEN
 ABSORPTION
 ENDOGENEAL
 ENDOBRONCHIAL ANÆS. OR OTHER

NONE
 OTHER
 ETHER
 C₂H₆
 T.C.E.
 HALOTHANE
 N₂O

NON-DEPRESSANT
 DEPRESSANT
 NONE
 OTHER
 HYPOTENSIVE
 PETHIDINE OR OPIATE
 BARBITURATE

RECORD OF SPECIAL INTEREST

DATE 14 7 72 No. 231
 NAME Mohammed ~~Abd~~ Matooq AGE 30
 HOSP. & WARD FST Int. WT. 60kg
 B.P. 130/- T.P.R. - 100 - HB.

ANAESTHETIC RECORD

ANAESTHETIST F.B.S

SURGEON Johnston / Cetti
 OPERATION PERFORMED Thoracotomy & debridement
 @ fore arm.

PREOPERATIVE FINDINGS :-
 GSW Through @ chest. ? 1200.
 Entry & exit wounds ant/post
 @ haemothorax & collapse.

POSTOPERATIVE PROGRESS :-
 Some collapse on removing the
 Argyle drain.

2 @ blood pre-op.
 2 units R/mass

PREMEDICATION :-

FINAL RESULT :-

SITE OF OPERATION

DISTURBANCES DURING ANÆS. & THERAPY

REGIONAL ANALGESIA

3 2 1 1/2 HRS. ANÆS.

SPINE & BACK
 INTRA-CRANIAL
 MOUTH, NOSE & THROAT
 THYROID
 OTHER HEAD & NECK
 HEART & GT. VESSELS
 PULMONARY
 OTHER INTRA-THORACIC
 CHEST-WALL
 LUMBAR
 UPPER ABDOMINAL
 LOWER ABDOMINAL
 INGUINAL
 PERINEAL
 EXTREMITIES

NO OP. DIAG. EXP. THERAP. :
 CARD. ARREST
 CONVULSION
 EXPLOSION
 OTHER
 CIRCULATORY
 UNCOMPENSATED RESPIRATORY
 UNPROTECTED VOMITING
 OTHER
 NONE
 BLOOD TRANSFUSION
 OTHER I.V. FLUID
 EXTRA-CORP. CIRCULATION
 HYPOTHERMIA
 OTHER


SPINAL
 EPIDURAL
 OTHER
 NONE

PANMOUNT REID, TRADE MARK 62/5-C-9177 B, PRINTED IN ENGLAND.

INDIVIDUAL PRIVATE CODE

A B C D E F G H J K L M N O P R U

TIME	22:10	20	30	40	50	23	10	20	30	40	50	over
VOL. %												
BARB.												
1.	30-67	64	250									
2.								18				
3.												
4.					5							
5.								50				



CODE: ANAESTH. X: OF O2: B.P. V: PULSE: : RESP. O2: CHART EACH DOSE AS GIVEN

PATIENT'S NAME & No.
Makoooy

ANAESTHETIST
FAB

PREMED. & EFFECT -- ✓ +
None.

DRUGS & DOSAGE	
BARBITURATE	%
1. Thio	25 250
2. Atrop	18
3. Bro	67
4. d-tub	35
5. Neo	5.0

TEETH ✓
PRE-OP. VEINS: GOOD POOR INVISIBLE
Chest Movt. L < R
SITE OF BARB. INJ. R/L ARM WRIST HAND ANKLE FOOT
SITE OF I.V. FLUIDS R/L ARM WRIST HAND ANKLE FOOT
ARMBOARD CANULA POLYTHENE CUT-DOWN
PHAR. ORO/NASOTRACHEAL CUFF PACK
BLIND R/L ENDOBRONCH./BLOCKER TRACHY.
ACT. VENTILATION: INDUCTION/MAINTENANCE

COTT. 90

POSTURE TILT EFFECT TIME
R side ✓

Thoracotomy. Bleeding from lung & chest wall. Debridement & Angyle tube inserted.

POSTOPERATIVE STATE: SATISFACTORY WEAK AWAKE RESTLESS PH. REFLEX.
C.V.S. DEPRESSION RESP. DEPRESSION/DISTRESS/OBSTRUCTION VOMIT

