

39	19	10	12	AGE	DOUBLE PUNCH	MALE <input checked="" type="checkbox"/> SEX	F.	DIED DURING OR AFTER ANAES.	✓ NONE	✓ OPERATIVE OR OTHER	✓ ANAESTHETIC RESPONSIBLE	✓ MALAISE VOMITING	OTHER	MECHANICAL RESPIRATOR	MANUAL ASS. OR C.R.	T. PIECE	✓ SEMIOPEN	ABSORPTION	✓ ENDOBRONCHIAL	ENDOBRONCHIAL ANAES. OR BLOCKER	NONE	OTHER	ETHER	C ₃ H ₆	T.C.E.	✓ HALOTHANE	N ₂ O	NON-DEPOLARIZER	DEPOLARIZER	NONE	OTHER	HYPOTENSIVE	✓ PETHIDINE OR ANALG.	BARBITURATE	RECORD OF SPECIAL INTEREST
EMERGENCY	GOOD	FAIR	POOR	CIRCULATORY DECOMPENSATION	SEVERE RESP. DISTURBANCE	VOMITING OR FULL STOMACH	OTHER ANAES. HANDICAP	ATROPINE OR SCOPOLAMINE	PETHIDINE OR OPiate	PHENOTHIAZINE DERIVATIVE	BARBITURATE	OTHER	PRE-OP. COMPLICATIONS & CONDITION	PREMEDICATION	PREMEDICATION :-	SITE OF OPERATION	DISTURBANCES DURING ANAES. & THERAPY	REGIONAL ANALGESIA																	
20.7.72	No. 2343	ANAESTHETIC RECORD	ANAESTHETIST	NAME	AGE	SURGEON	OPERATION PERFORMED	PREOPERATIVE FINDINGS :-	POSTOPERATIVE PROGRESS :-	FINAL RESULT :-	SPINAL	EPIDURAL	OTHER	NON																					
Adoo	RAJAB	25	Johnston / celi.	Exploration of wound.		GSW. 19.7.72. ? 0500.	Transverse path across anterior neck through ? cricothyroid mem. → high haemostatic tracheostomy. Massive swelling ⊖ side of face. Junc opening difficult.	Parkex tube removed on 23rd V clean No silver tube inserted.																											
POST-OP. COMPS.	32	INHALATIONAL TECHNIQUES	INHALATIONAL AGENTS	INTRAVENOUS DRUGS	Halox																														

PARAMOUNT REG. TRADE MARK/ C.C. 6177 B. PRINTED IN ENGLAND.

INDIVIDUAL PRIVATE CODE


A B C D E F G H J K L M N O P Q R S T U V W X Y Z

TIME
 0110 30 40 50 0400

VOL. O₂ %
 BARB. %

CHART EACH DOSE AS GIVEN
 1.
 2.
 3.
 4.
 5.

TIME OF NOTES



PATIENT'S NAME & NO.

RAJAB

ANESTHETIST

TaeB

PREMED. & EFFECT - V+

None

DRUGS & DOSAGE

BARBITURATE	%
1. Thio	25 250
2. Atrop	0.6
3. Brov	67
4. Petn	30
5.	

TEETH ✓ CHEST MOVT. ✓
 PRE-OP. VEINS: GOOD POOR INVISIBLE

SITE OF BARB. INJ. R O ARM WRIST HAND ANKLE FOOT

SITE OF I.V. FLUIDS R O ARM WRIST HAND ANKLE FOOT

ARMBOARD CANULA POLYTHENE CUT-DOWN

PHAR. (RO) NASO (ACHEA) (UFF) PACK
 BLIND R.L. ENDOBRONCH. / BLOCKER TRACHY.
 ART. VENTILATION: INDUCTION / MAINTENANCE

POSTURE TILT EFFECT TIME

COTT 9.0 Some blood in larynx.
 High trachy new cords
 Low trachy performed Porter F636 CT.

POSTOPERATIVE STATE: (SATISFACTORY) WEAK AWAKE RESTLESS PH. REFLEX.

C.V.S. DEPRESSION RESP. DEPRESSION / DISTRESS / OBSTRUCTION VOMIT

