

19 10 19 AGE 40 DOUBLE PUNCH	MALE SEX F.	DIED DURING OR AFTER ANÆS. NONE	OPERATIVE OR OTHER ANÆSTHETIC RESPONSIBLE NONE	MALAISE VOMITING 33	OTHER MECHANICAL RESPIRATOR MANUAL ASS. OR C.R. T. PIECE SEWED UP ABSORPTION ENDORACHEAL ENDOPHONCHIAL ANÆS. OR BLOCKER	NONE OTHER OTHER C ₂ H ₆ T.C.E. N ₂	NON-DEPRESSOR DEPRESSOR NONE OTHER	HYPOTENSIVE PETHIDINE OR OPIATE BARBITURATE	RECORD OF SPECIAL INTEREST YES
EMERGENCY GOOD FAIR POOR	PRE-OP. COMPLICATIONS & CONDITION CIRCULATORY DECOMPENSATION SEVERE RESP. DISTURBANCE VOMITING OR FULL STOMACH OTHER ANÆS. HANDICAP ATROPINE OR SCOPOLAMINE PETHIDINE OR OPIATE PHENOTHIAZINE DERIVATIVE BARBITURATE OTHER	PRE-OP. COMPS. 33	INHALATIONAL TECHNIQUES	INHALATIONAL AGENTS	INTRAVENOUS DRUGS	DATE 20 7.72 No. 2334	ANAESTHETIC RECORD	ANAESTHETIST <u>Fieb</u>	INDIVIDUAL PRIVATE CODE PASAMOUNT BEED., TRADE MARK G.P.C. 8173 B., PRINTED IN ENGLAND.
NAME HOSP. & WARD B.P. 140/- T.P.R. — 100 —	AGE 35 WT. 60kg HB.	SURGEON <u>Johnston / Cetti.</u>	OPERATION PERFORMED <u>Debridement penis, orchiectomy laparotomy, colostomy.</u>	PREOPERATIVE FINDINGS :- <u>GSW through base of penis 14.7.72 / 1600</u> <u>Oedema of scrotum H.</u> <u>No blood in bladder.</u> <u>Blood PR.</u>	POSTOPERATIVE PROGRESS :- <u>Colostomy opened at 2nd day</u>	PREMEDICATION :-	FINAL RESULT :-	REGIONAL ANALGESIA SPINAL EPIDURAL OTHER	
2 1 1/2 3 HRS. ANÆS. SPINE & BACK INTRA-CRANIAL MOUTH, NOSE & THROAT THYROID OTHER HEAD & NECK HEART & GT. VESSELS PULMONARY OTHER INTRA-THORACIC CHEST-WALL LUMBAR UPPER ABDOMINAL LOWER ABDOMINAL INGUINAL SPINEAL EXTREMITIES	SITE OF OPERATION	NO OP.: DIAG.: EXP.: THERAP.: CARD. ARREST CONVULSION EXPLOSION OTHER CIRCULATORY UNCOMPENSATED RESPIRATORY UNPROTECTED VOMITING OTHER	DISTURBANCES DURING ANÆS. & THERAPY NONE BLOOD TRANSFUSION OTHER I.V. EXTRA-CORP. CIRCULATION HYPOTHERMIA OTHER	REGIONAL ANALGESIA SPINAL EPIDURAL OTHER					



©FWJdeB



©FWJdeB



©FWJdeB

Badly timed.

We understood that this man was one of the first to be injured at Mirbat. He had been relieving himself when one of the first bullets of the battle found its mark, passed up his "waterway" and lodged in his pelvis. Just how unlucky is that?

A laparotomy was first performed, a colostomy fashioned and then the remained was attended to.

Irrigating with hydrogen peroxide indicated that there were a good many cavities and spaces involved in the injury.



©FWJdeB