

AGE 20
 DOUBLE PUNCH

MALE SEX

EMERGENCY

GOOD

FAIR

POOR

CIRCULATORY DECOMPENSATION

SEVERE RESP. DISTURBANCE

VOMITING OR FULL STOMACH

OTHER ANAES. HANDICAP

ATROPINE OR SCOPOLAMINE

PETHIDINE OR OPIATE

PHENYLETHYLAMINE DERIVATIVE

BARBITURATE

OTHER

DIED DURING OR AFTER ANAES.
 NONE
 OPERATIVE OR OTHER
 ANAESTHETIC RESPONSIBLE
 MALAISE VOMITING
 OTHER
 MECHANICAL RESPIRATOR
 MANUAL ASS. OR C.R.
 T. PIECE
 SEWED UP
 ABSORPTION
 ENDOBRONCHIAL
 ENDOBRONCHIAL ANAES. OR BLOCKER
 NONE
 OTHER
 ETHER
 C₃H₆
 T.C.E.
 HALOGENE
 N₂
 NON-DEPOZIZER
 DEPOZIZER
 NONE
 OTHER
 HYPOTENSIVE
 PETHIDINE OR OPIATE
 BARBITURATE

POST-OP. COMPS. 34

INHALATIONAL TECHNIQUES

INHALATIONAL AGENTS

INTRAVENOUS DRUGS

ANAESTHETIC RECORD ANAESTHETIST TAB

DATE 20.7.72 No. 2385
 NAME Salim Ahmed A000 AGE 20
 HOSP. & WARD FST-hut WT. 55kg
 B.P. 150/- T.P.R. 100 Hb.

SURGEON Johnston/Cetti
 OPERATION PERFORMED Debridement and Thomas Splint

PREOPERATIVE FINDINGS :-
ASW @ femur 4.7.72. 0600 # cpd
3 @ blood.
2 litres H/mans.
Pethidine 0.205.

PREMEDICATION :-

POSTOPERATIVE PROGRESS :-

FINAL RESULT :-

SITE OF OPERATION

DISTURBANCES DURING ANAES. & THERAPY

REGIONAL ANALGESIA

2 1 1/2 HRS. ANAES.
 SPINE & BACK
 INTRA-CRANIAL
 MOUTH, NOSE & THROAT
 THYROID
 OTHER HEAD & NECK
 HEART & GT. VESSELS
 PULMONARY
 OTHER INTRA-THORACIC
 CHEST-WALL
 LUMBAR
 UPPER ABDOMINAL
 LOWER ABDOMINAL
 INGUINAL
 PERINEAL
 EXTREMITIES
 NO OP.: DIAG.: EXP.: THERAP.:
 CARD. ARREST
 CONVULSION
 EXPLOSION
 OTHER
 CIRCULATORY
 UNCOMPENSATED RESPIRATORY
 UNPROTECTED VOMITING
 OTHER
 NONE
 BLOOD TRANSFUSION
 OTHER I.V. FLUIDS
 EXTRA-CORP. CIRCULATION
 HYPOTHERMIA
 OTHER
 SPINAL
 EPIDURAL
 OTHER
 NONE


PARAMOUNT REG. TRADE MARK G.C.-6177 B. PRINTED IN ENGLAND.

INDIVIDUAL PRIVATE CODE

RECORD OF SPECIAL INTEREST

A B C D E F G H J K L M N O P R

TIME	0420	30	40	50	0500	10	20	30
VOL. O ₂ %								
BARB.								
1.	35	67	06	250				
2.					1.2			
3.								
4.	35	67	06	250				
5.			5		50			



TIME OF NOTES

PATIENT'S NAME & No. **Sulim Ahmed**

ANAESTHETIST **Faeb**

PREMED. & EFFECT -- ✓+ **None**

DRUGS & DOSAGE		TEETH ✓		CHEST MOV'T. ✓	
BARBITURATE	%	PRE-OP. VEINS:	GOOD	POOR	INVISIBLE
1. Turo	25 250	SITE OF BARB. INJ.	R	ARM	WRIST HAND ANKLE FOOT
2. Anoy	0.6 8	SITE OF I.V. FLUIDS	R	ARM	WRIST HAND ANKLE FOOT
3. Bro	67	ARMBOARD	Ventilon		
4. d-Tub.	40	PHAR.	ORO/NASO	RACHEAL	CUFF PACK
5. Neo	50	BLIND R.L. ENDOBRONCH./BLOCKER TRACHY.			
		ART. VENTILATION:	INDUCTION / MAINTENANCE		

POSTURE **TILT** EFFECT TIME

Q

COTT 9.0
Unsuccessful

POSTOPERATIVE STATE: **SATISFACTORY** WEAK **AWAKE** RESTLESS **PH. REFLEX**

C.V.S. DEPRESSION RESP. DEPRESSION/DISTRESS/OBSTRUCTION VOMIT

4247. 19-7-72
SALVA RAYCO

R

©FWJdeB

